

HTINTD8H 2.8 -12mm DC auto iris varifocal lens, dark grey housing
HTINTD8HW 2.8 -12mm DC auto iris varifocal lens, white housing

Features

- 1/3" 960H Sony Super-HAD™ CCD
- 700 lines of color resolution
- Amplify existing light with no distance limitations
- No problems caused by objects that reflect or absorb IR light sources
- Minimum illumination 0.00002 lux (Intensify @ 512x)
- 12VDC / 24VAC dual voltage operation
- Full OSD operation and test monitor output
- 3-axis wall or ceiling mount
- External controls for zoom & focus
- EZ mount system simplifies installation
- Relay outputs for motion detection
- Weather resistant operation
- IP66 compliant
- Anti-moisture glass and circuitry eliminates fog or condensation under any weather condition
- 5 year warranty

Specifications

Image Sensor 1/3" 960H Sony Super-HAD™ CCD
 Resolution..... 700 TV lines
 Minimum Illumination..... 0.00002 lux
 Total Pixels 1020 (H) x 494 (V)
 Effective Pixels 976 (H) x 508 (V)
 TV System..... NTSC
 Scanning Frequency..... 15.734kHz (H) / 59.94Hz (V)
 Scanning System..... 2:1 interlace
 Synchronization Internal
 S/N Ratio More than 52dB
 Video Output..... CVBS: 1.0Vp-p / 75 Ohm
 Electronic Shutter Speed..... 1/60 sec. - 1/120,000 sec.
 OSD..... Available
 WDR..... On / Off (level adjustable)
 Backlight Compensation..... BLC / HLC / Off
 Day/Night..... Color / BW / Auto / Ext
 AGC..... High / Low / Off



Now with Presets:
 Outdoor, Indoor, Elevator,
 Lobby, Hallway & Dark

White Balance ATW / Outdoor / Indoor / Manual / AWC (1,700°K – 11,000°K)
 Intensify Auto / Off (selectable 2x – 512x)
 Motion Detection..... On / Off (8 programmable zones)
 Privacy Masking On / Off (12 programmable zones)
 Speco DNR..... On / Off (level adjustable)
 Digital Zoom On / Off (1x - 16x)
 DIS..... On / Off
 Sharpness On / Off (level adjustable)
 Flip / Mirror On / Off
 Power Consumption 12VDC, 400mA / 24VAC, 170mA
 Power Supply 12VDC / 24VAC dual voltage operation (power supply not included)
 Operating Temperature..... - 4° F – 140° F
 Dimensions 4.36" (H) x 5.47" (Dia.)
 Weight 3.08 lbs.

Optional Accessories



Speco Technologies is constantly developing and improving products. We reserve the right to modify product design and specifications without notice and without incurring any obligation.



Rev. 5/1/13