


## Adjustable Fiber Optic Stripper



### Description

Platinum Tool's *Adjustable* Fiber Optic Stripper is designed to be versatile and economical without compromising the expectations of the professional installer. No need for multiple tools!

- V-notch will strip/remove a full range of fiber buffer and coating materials.
- Circular notch is designed to strip a full range of outer fiber jacket insulations.
- Brass adjustment screw allows for fine adjustments and locks into place once set.
- All stripping surfaces are precision ground and hardened for durability and long life.
- Cushioned grip handles provide positive non-slip, comfortable operation.
- Manufactured from high carbon tool steel with black oxide corrosion resistant finish.

### Application

- Use 'V' notch for stripping 250 $\mu$  to 500 $\mu$  fiber coatings. (A)
- Use 'V' notch for stripping 500 $\mu$  to 900 $\mu$  Tight Buffer. (Loose Tube to 1500 $\mu$ ). (B)
- Use round notch for stripping outer cable jacket insulations to 3.0 mm diameter. (C)



### Marking/Packaging

- Retail clamshell.
- Individually boxed.

### Technical Data

Weight	3.3 oz.
Dimensions	6 inches

### Ordering information

#### Description

#### Part Number

*Adjustable* Fiber Optic Stripper, boxed.

15060

*Adjustable* Fiber Optic Stripper, retail clamshell.

15060C